

Where Spaces Breathe *Luxury*

Manufacturing premium PVC soffit panels engineered for the discerning architect and homeowner. Elegant profiles, flawless finishes - for ceilings, walls, verandas, balconies, and beyond.

SOFTKRAFT



Three Profiles

One Standard of Excellence

Each Profile is precision - formed at 1.1 mm thickness, available in a 10 - feet standard length. All 3 compatible with J & H accessories



Trio-Flute

3

- Elegant minimal groove pattern
- Ideal for formal interiors & bedrooms
- Best for Ceilings

5

Penta-Flute

- Balanced rhythm-residential & commercial
- Most selected profile in our range
- Perfect for Walls and Ceilings



Hexa-Flute

6

- Dense, textured luxury appeal
- Preferred for premium commercial spaces
- Curated mainly for walls

TECHNOLOGY

The Lock That *Sets Us Apart*



Precision Interlocking System

Engineered in-house for a precise, seamless fit that clicks into place with no gaps.



Seamless Panel Alignment

Accurate interlocking ensures straight lines and consistent spacing



Faster install. Lower labour.

Smart locking cuts installation time from days to hours.



Zero Visible Fasteners

Clean, uninterrupted surfaces. No screws, no distractions. Just pure, finished design.



3D effect

Profiled panels enhance depth through controlled light and shadow.



Designs made to be Felt -

Super Matte Soft Touch Surfaces



Our Super Matte Soft Touch finish transforms rigid surfaces into something unexpectedly tactile.



Smooth, muted, and velvety to the fingertips, it diffuses light softly while adding depth & warmth to every panel.



Inspired by luxury automotive interiors & premium soft-touch materials, the finish creates a refined sensory experience that feels as sophisticated as it looks.



RANGE

Premium *Wood Grain* Collection



Natural oak



Oak Wood



Walnut



Golden oak



Light Walnut



Imperial walnut




Royal Walnut






H-Channel Trim

Mid-span joining accessory for seamless length-to-length connections. Maintains panel alignment and conceals joints with zero visible break lines.






J-Channel Trim

Perimeter finishing accessory that secures panel edges with a clean, recessed profile. Creates sharp transitions at walls, beams and borders.



Precision *Engineered* to Specification

Each standard sheet measures 3050 mm (10 feet) in length.
Technical drawings below are indicative of cross - section
dimensions, flute spacing and locking geometry





DESIGNS MADE TO BE FELT



BENEFITS

More Than Just *Aesthetic*



Easy to Clean



Water Proof



Non Voc Proof



Light Weight



Real Wood Feel



Recyclable



Seamless Post
Installation



Maintenance
Free




Termite Proof &
Rust Proof



Fire Retardant



CRAFTED TO ELEVATE MODERN ARCHITECTURAL DESIGN,



WHILE RESISTING EXTREME WIND & INDIRECT SUNLIGHT



SOFTKRAFT

— GET IN TOUCH

Begin Your
Project Today



Scan for
Website,
WhatsApp
& more



EXECUTIVE PARTNER — BENGALURU

Sushil Kumar


+91 98801 54785



TECHNICAL PARTNER

Sachin Jain G

+91 99720 45525



MANUFACTURING FACILITY

Sompura KIADB Industrial Area,
Bengaluru Rural (North), 562132